TeraTech Presents

<ColdFusion Tag Chart>

<allaire> Alliance Partner

TeraTech provides innovative solutions to your information processing needs. From tools for programmers to turnkey solutions for end users, TeraTech provides speedy, reliable and efficient answers to your problems.

ColdFusion * SQL * VisualBasic

800-447-9120 http://www.teratech.com/



As ColdFusion developers ourselves, we know that figuring out which tag to use, or even if a tag exists, is often an issue. Sometimes, it is only after a project is finished that we discover the tag, and say "I wish I knew that tag (or function) existed 3 weeks ago!". That is the purpose of this reference: to quickly scan available options for one that might work. Hang it on your wall, and let us know if it works for you.We will be updating and improving this reference tool, and we want your feedback! Please provide feedback on this reference poster to: info@teratech.com. To request another copy, or an update, call 301-424-3903. We also put a joke tag in. See if you can find it!

- The TeraTech Tag Team
Ajay, David, Douglas, Lars, Lorraine, Mark, Michael and Roy

<CFML>

Application

<CFAPPLICATION>
ApplicationTimeout, ClientManagement, ClientStorage, Name, SessionManagement, SessionTimeout, SetClientCookies, SetDomainCookies
<CFAUTHENTICATE>
Password, SecurityContext, SetCookie, ThrowOnFailure, Username
<CFCOOKIE>
Domain, Expires, Name, Path, Secure, Value
<CFERROR>
Exception, MailTo, Template, Type
<CFIMPERSONATE>
Password, SecurityContext, Type, Username
<CFLOCK>
Name, Scope, ThrowOnTimeout, Timeout, Type
<CFSCHEDULE>
Action, EndDate, Endtime, File, Interval, LimitTime, Operation, Password, Path, Port, ProxyPort, ProxyServer, Publish, RequestTimeout, ResolveURL, StartDate, StartTime, Task, URL, Username
<CFSETTING>
CatchExceptionByPattern, EnableCFOutputOnly, ShowDebugOutput
AuthenticatedContext
AuthenticatedUser
Decrypt
(EncryptedString, Key)
DeleteClientVariable
("Name")
Encrypt
GetClientVariablesList
GetProfileString
(IniPath, Section, Entry)
GetToken
(String, Index [, Delimiters])
IsAuthorized
(ResourceType, resourceName [,Action])
SetProfileString
(IniPath, Section, Entry, Value)

Array Handling

ArrayAppend
(Array, Value)
ArrayAvg
(Array)
ArrayClear
(Array)
ArrayDeleteAt
(Array, Position)
ArrayInsertAt
(Array, Position, Value)
ArrayIsEmpty
(Array)
ArrayLen
(Array)
ArrayMax
(Array)
ArrayMin
(Array)
ArrayNew
(Dimension)
ArrayPrepend
(Array, Value)
ArrayResize
(Array, Minimum_size)
ArraySet
(Array, Start_pos, End_pos, Value)
ArraySort
(Array, Sort_type [, Sort_order])
ArraySum
(Array)
ArraySwap
(Array, Position1, Position2)
ArrayToList
(Array [, Delimiter])
IsArray
(Array [, Dimension])
ListToArray
(List [, Delimiters])

Data Handling

<CFCOL>
Align, Header, Text, Width
<CFINSERT>
Datasource, DbName, DbServer, DbType, FormFields, Password, Provider, ProviderDSN, TableName, TableOwner, TableQualifier, Username
<CFOUTPUT>
Group, GroupCaseSensitive, Maxrows, Query, StartRow
<CFPROCPARAM>
CFSQLType, DbVarName, MaxLength, Null, Scale, Type, Value, Variable
<CFPROCRESULT>
MaxRows, Name, resultSet
<CFQUERY>
BlockFactor, CachedAfter, CachedWithin, DataSource, DbName, DbServer, DbType, Debug, MaxRows, Name, Password, Provider, ProviderDSN, Timeout, Username
<CFQUERYPARAM>
Cfsqltype, Dbname, Maxlength, Null, Scale, Value
<CFSTOREDPROC>
BlockFactor, DataSource, DbName, DbServer, Debug, Password, Procedure, Provider, ProviderDSN, ReturnCode, Username
<CFTABLE>
Border, ColHeaders, ColSpacing, HeaderLines, HTMLTable, MaxRows, Query, StartRow
<CFTRANSACTION>
Action, Isolation
<CFUPDATE>
DataSource, DbName, DbServer, DbType, FormFields, Password, Provider, ProviderDSN, TableName, TableOwner, TableQualifier, Username
<CFWDDX>
Action, Input, Output, TopLevelVariable, UseTimeZoneInfo
CF_GetDataSourceUsername
CF_IsColdFusionDataSource
CF_SetDataSourcePassword
CF_SetDataSourceUsername
CFusion_DBConnections_Flush
CFusion_GetODBCDSN
CFusion_GetODBCINI
CFusion_SetODBCINI
CreateODBCDate
(Date)
CreateODBCDateTime
(Date)
CreateODBCTime
(Date)
Duplicate
(Variable_name)
IsQuery
(Value)
QueryAddColumn
(Query, ColumnName, ArrayName)
QueryAddRow
(Query [, Number])
QueryNew
(ColumnList)
QuerySetCell
(Query, ColumnName, Value [, RowNumber])
QuotedValueList
(Query.Column [, Delimiter])
ToBase64
(String or BinaryObject)
ToBinary
(StringInBase64 or BinaryValue)
ValueList
(Query.Column [, Delimiters])

Date and Time

CreateDate
(Year, Month, Day)
CreateDateTime
(Year, Month, Day, Hour, Minute, Second)
CreateODBCDate
(Date)
CreateODBCDateTime
(Date)
CreateODBCTime
(Date)
CreateTime
(Hour, Minute, Second)
CreateTimeSpan
(Days, Hours, Minutes, Seconds)
CurrentDate
CurrentDateTime
CurrentTime
DateAdd
(DatePart, Number, Date)
DateCompare
(Date1, Date2 [, DatePart])
DateConvert
(ConversionType, Date)
DateDiff
(DatePart, Date1, Date2)
DateFormat
(Date [, Mask])
DatePart
(Datepart, Date)
Day
(Date)
DayOfWeek
(Date)
DayOfWeekAsString
(DayOfWeek)
DayOfYear
(Date)
DaysInMonth
(Date)
DaysInYear
FirstDayOfMonth
GetHTTPTimeString
GetTickCount
GetTimeZoneInfo
Hour
(Date)
IsDate
(String)
IsLeapYear
(Year)
IsNumericDate
(Number)
LSDateFormat
(Date [, Mask])
LSIsDate
(String)
LSParseDateTime
(String)
LSTimeFormat
(Time [, Mask])
Minute
(Date)
Month
(Date)
MonthAsString
(MonthNumber)
Now
ParseDateTime
(DateTimeString [, PopConversion])
Quarter
(Date)
Second
(Date)
TimeFormat
(Time [, Mask])
Week
(Date)
Year
(Date)

Decision

Iif
(Condition, StringExpression1, StringExpression2)
IsArray
(Array [, Dimension])
IsAuthenticated
(SecurityContextName)
IsAuthorized
(ResourceType, resourceName [, Action])
IsBinary
(Value)
IsBoolean
(Value)
IsDate
(String)
IsDebugMode
IsDefined
("VariableName")
IsLeapYear
(Year)
IsNumeric
(String)
IsNumericDate
(Number)
IsProtected
IsQuery
(Value)
IsSimpleValue
(Value)
IsStruct
(Variable)
LSIsCurrency
(String)
LSIsDate
(String)
LSIsNumeric
(String)
ParameterExists
(Parameter)

Display

<CFGRID>
Align, AppendKey, BgColor, Bold, ColHeaderAlign, ColHeaderBold, ColHeaderFont, ColHeaderFontSize, ColHeaderItalic, ColHeaders, Delete, DeleteButton, Font, Fontsize, GridDataAlign, GridLines, Height, HighlightHref, Href, HrefKey, HSpace, Insert, InsertButton, Italic, MaxRows, NotSupported, OnError, OnValidate, PictureBar, Query, RowHeight, RowHeaderAlign, RowHeaderBold, RowHeaderFont, RowHeaderFontSize, RowHeaderItalic, RowHeaders, RowHeaderWidth, SelectColor, SelectMode, Sort, SortAscendingButton, SortDescendingButton, Target, VSpace
<CFOUTPUT>
Group, GroupCaseSensitive, Maxrows, Query, StartRow
<CFPROCESSINGDIRECTIVE>
SuppressWhiteSpace
<CFSILENT>
<CFTABLE>
Border, ColHeaders, ColSpacing, HeaderLines, HTMLTable, MaxRows, Query, StartRow
CJustify
(String, Length)
DateFormat
(Date [, Mask])
DecimalFormat
(Number)
DollarFormat
(Number)
FormatBaseN
(Number, Radix)
HTMLCodeFormat
(String [, Version])
HTMLEditFormat
(String [, Version])
LCase
(String)
LJustify
(String, Length)
LSCurrencyFormat
(Number [, Type])
LSDateFormat
(Date [, Mask])
LSEuroCurrencyFormat
(Currency, Number [, Type])
LSNumberFormat
(Number [, Mask])
LSTimeFormat
(Time [, Mask])
NumberFormat
(Number [, Mask])
ParagraphFormat
(String)
PreserveSingleQuotes
(Variable)
RJustify
(String, Length)
StripCR
(String)
TimeFormat
(Time [, Mask])
UCase
(String)
URLEncodedFormat
(String)
WriteOutput
(String)
YesNoFormat
(Value)

Evaluation

DE
(String)
Evaluate
(StringExpression1 [, StringExpression2])
Iif
(Condition, StringExpression1, StringExpression2)
SetVariable
(Name, Value)

File Handling

<CFDIRECTORY>
Action, Directory, Filter, Mode, Name, NewDirectory, Sort
<CFEXECUTE>
Arguments, Name, Outputfile, Timeout
<CFFILE>
Accept, Action, AddNewLine, Attributes, Destination, File, FileField, Mode, NameConflict, Output, Source, Variable
DirectoryExists
(AbsolutePath)
ExpandPath
(RelativePath)
FileExists
(AbsolutePath)
GetBaseTemplatePath
GetCurrentTemplatePath
GetDirectoryFromPath
(Path)
GetFileFromPath
(Path)
GetTempDirectory
GetTempFile
(Dir, Prefix)
GetTemplatePath

Flow Control

<CFABORT>
ShowError
<CFBREAK>
<CFCASE>
Delimiters, Value
<CFCATCH>
Type
<CFDEFAULTCASE>
<CFELSE>
<CFELSEIF>
Expression
<CFERROR>
Exception, MailTo, Template, Type
<CFEXIT>
Method
<CFIF>
Expression
<CFINCLUDE>
Template
<CFLOOP>
Condition, Delimiters, EndRow, From, Index, List, Query, StartRow, Step, To
<CFMODULE>
AttributeCollection, Name, Template
<CFRETHROW>
<CFSWITCH>
Expression
<CFTHROW>
Detail, ErrorCode, ExtendedInfo, Message, Type
<CFTRY>
GetTickCount

Forms

<CFAPPLET>
Align,AppletSource, Height, HSpace, Name, NotSupported, VSpace, Width
<CFFORM>
Action, EnableCab, EncType, Name, OnSubmit, Passthrough, Target
<CFGRID>
Align,AppendKey, BgColor, Bold, ColHeaderAlign, ColHeaderBold, ColHeaderFont, ColHeaderFontSize, ColHeaderItalic, ColHeaders, Delete, DeleteButton, Font, Fontsize, GridDataAlign, GridLines, Height, HighlightHref, Href, HrefKey, HSpace, Insert, InsertButton, Italic, MaxRows, NotSupported, OnError, OnValidate, PictureBar, Query, RowHeight, RowHeaderAlign, RowHeaderBold, RowHeaderFont, RowHeaderFontSize, RowHeaderItalic, RowHeaders, RowHeaderWidth, SelectColor, SelectMode, Sort, SortAscendingButton, SortDescendingButton, Target, VSpace
<CFGRIDCOLUMN>
Bold, DataAlign, Display, Font, FontSize, Header, HeaderAlign, HeaderBold, HeaderFont, HeaderFontSize, HeaderItalic, HREf, HRefKey, Italic, Name, NumberFormat, Select, Target, Type, Width
<CFGRIDROW>
Data
<CFGRIDUPDATE>
DataSource, DbName, Dbserver, DbType, Grid, KeyOnly, Password, Provider, ProviderDSN, TableName, TableOwner, TableQualifier,
<CFINPUT>
Checked, MaxLength, Message, Name, OnError, OnValidate, Passthrough, Range, Required, Size, Type, Validate, Value
<CFSELECT>
Display, Message, Multiple, Name, OnError, Passthrough, Query, Required, Selected, Size, Value
<CFSLIDER>
Align, BgColor, Bold, Font, FontSize, GrooveColor, Height, HSpace, Img, ImgStyle, Italic, Label, Message, Name, NotSupported, OnError, OnValidate, Range, RefreshLabel, Scale, TextColor, Value, Vspace, Width
<CFTEXTINPUT>
Align, BgColor, Bold, Font, FontSize, Height, HSpace, Italic, MaxLength,Message, Name, NotSupported, OnError, OnValidate, Range, Required, Size, TextColor, Validate, Value, VSpace, Width

<CFTREE>
Align,AppendKey, Bold, Border, CompletePath, Delimiter, Font, FontSize, Height, HighlightHref, HScroll, HSpace, Italic, Message, Name, NotSupported, OnError, OnValidate, Required, VScroll, VSpace, Width
<CFTREEITEM>
Display, Expand, Href, Img, ImgOpen, Parent, Query, QueryAsRoot, Target, Value
URLEncodedFormat
(String)

International

GetLocale
LSCurrencyFormat
(Number [, Type])
LSDateFormat
(Date [, Mask])
LSEuroCurrencyFormat
(Currency, Number [, Type])
LSIsCurrency
(String)
LSIsDate
(String)
LSIsNumeric
(String)
LSNumberFormat
(Number [, Mask])
LSParseCurrency
(String)
LSParseDateTime
(String)
LSParseEuroCurrency
(CurrencyString)
LSParseNumber
(String)
LTrim
(String)
Mid
(String, Start, Count)
MonthAsString
(MonthNumber)
ParseDateTime
(DateTimeString [, PopConversion])
REFind
(RegExpression, String [, Start, ReturnSubExpressions])
REFindNoCase
(RegExpression, String [, Start, ReturnSubExpressions])
RemoveChars
(String, Start, Count)
RepeatString
(String, Count)
Replace
(String, SubString1, SubString2 [, Scope])
ReplaceList
(String, List1, List2)
ReplaceNoCase
(String, SubString1, SubString2 [, Scope])
REReplace
(String, RegExpression [, Scope])
REReplaceNoCase
(String, RegExpression, Substring [, Scope])
Reverse
(String)
Right
(String, Count)
RJustify
(String, Length)
RTrim
(String)
SpanExcluding
(String, Set)
SpanIncluding
(String, Set)
StripCR
(String)
ToString
(AnyValue)
Trim
(String)
UCase
(String)
URLDecode
(UrlEncodedString)
Val
(String)
XMLFormat
(String)

Internet

<CFCOOKIE>
Domain, Expires, Name, Path, Secure, Value
<CFFTP>
Action, AsciiExtensionList, Attributes, Connection, Directory, Existing, FailIfExists, Item, LocalFile, Name, New, Passive, Password, Port, ProxyByPass, ProxyServer, RemoteFile, RetryCount, Server, StopOnError, TimeOut, TransferMode, Username
<CFHTTP>
Columns, Delimiter, File, Method, Name, Password, Path, Port, ProxyPort, ProxyServer, Redirect, ResolveURL, TextQualifier, ThrowOnError, Timeout, URL, UserAgent, Username
<CFHTTPPARAM>
File, Name, Type, Value
<CFLDAP>
Action, Attributes, DN, Filter, FilterFile, MaxRows, ModifyType, Name, Password, Port, Rebind, Referral, Scope, Secure, Separator, Server, Sort, SortControl, Start, StartRow, Timeout, Username
<CFMAIL>
BCC, CC, From, Group, GroupCaseSensitive, MailerID, Maxrows, MimeAttach, Port, Query, Server, StartRow, Subject, Timeout, To, Type
<CFMAILPARAM>
File, From, Name, Subject, To, Value
<CFPOP>
Action, AttachmentPath, GenerateUniqueFilenames, MaxRows, MessageNumber, Name, Password, Port, Server, StartRow, Timeout, Username
CFusion_VerifyMail

Java

<CFAPPLET>
Align, AppletSource, Height, HSpace, Name, NotSupported, VSpace, Width
<CFSCRIPT>
<CFSERVLET>
Code, Debug, JRunProxy, Timeout, WriteOutput
<CFSERVLETPARAM>
Name, Type, Value, Variable
<CFSLIDER>
Align, BgColor, Bold, Font, FontSize, GrooveColor, Height, HSpace, Img, ImgStyle, Italic, Label, Message, Name, NotSupported, OnError, OnValidate, Range, RefreshLabel, Scale, TextColor, Value, Vspace, Width
<CFTREE>
Align, Appendkey, Bold, Border, CompletePath, Delimiter, Font, FontSize, Height, HighlightHref, HScroll, HSpace, Italic, Message, Name, NotSupported, OnError, OnValidate, Required, VScroll, VSpace,Width
<CFTREEITEM>
Display, Expand, Href, Img, ImgOpen, Parent, Query, QueryAsRoot, Target, Value
<CFWDDX>
Action, Input, Output, TopLevelVariable, UseTimeZoneInfo
JSStringFormat
(String)
WriteOutput
(String)

Lists

ArrayToList
(Array [, Delimiter])
ListAppend
(List, Value [, Delimiters])
ListChangeDelims
(List, NewDelimiter [, Delimiters])
ListContains
(List, SubString [, Delimiters])
ListContainsNoCase
(List, SubString [, Delimiters])
ListDeleteAt
(List, Position [, Delimiters])
ListFind
(List, Value [, Delimiters])
ListFindNoCase
(List, Value [, Delimiters])
ListFirst
(List [, Delimiters])
ListGetAt
(List, Position [, Delimiters])
ListInsertAt
(List, Position, Value [, Delimiters])
ListLast
(List [, Delimiters])
ListLen
(List [, Delimiters])
ListPrepend
(List, Value [, Delimiters])
ListQualify
(List, Qualifier [, Delimiters, Elements])
ListRest
(List [, Delimiters])
ListSetAt
(List, Position, Value [, Delimiters])
ListSort
(List, SortType [, SortOrder, Delimiters])
ListToArray
(List [, Delimiters])
ListValueCount
(List, Value [, Delimiters])
ListValueCountNoCase
(List, Value [, Delimiters])
QuotedValueList
(Query.Column [, Delimiter])
StructKeyList
(Structure [, Delimiters])
ValueList
(Query.Column [, Delimiters])

Math

Abs
(Number)
ACos
(Number)
ASin
(Number)
Atn
(Number)
BitAnd
(Number1, Number2)
BitMaskClear
(Number, Start, Length)
BitMaskRead
(Number, Start, Length)
BitMaskSet
(Number, Mask, Start, Length)
BitNot
(Number)
BitOr
(Number1, Number2)
BitSHLN
(Number, Count)
BitSHRN
(Number, Count)
BitXor
(Number1, Number2)
Ceiling
(Number)
Cos
(Number)
DecrementValue
(Number)
Exp
(Number)
Fix
(Number)
FormatBaseN
(Number, Radix)
Hash
IncrementValue
(Number)
InputBaseN
(String, Radix)
Int
(Number)
Log
(Number)
Log10
(Number)
Max
(Number1, Number2)
Min
(Number1, Number2)
Pi
Rand
Randomize
(Number)
RandRange
(Number1, Number2)
Round
(Number)
Sgn
(Number)
Sin
(Number)
Sqr
(Number)
Tan
(Number)
Val
(String)

Modularity

<CFINCLUDE>
Template
<CFMODULE>
AttributeCollection, Name, Template
CreateObject
(ObjectType, Class [, Context, Server, Locale])
GetBaseTagData
(TagName [, InstanceNumber])
GetBaseTagList
GetTemplatePath

Page Flow

<CFCACHE>
Action, CacheDirectory, Directory, ExpireURL, Port, Protocol, Timeout
<CFCONTENT>
DeleteFile, File, Reset, Type
<CFHEADER>
Name, StatusCode, StatusText, Value
<CFHTMLHEAD>
Text
<CFHTTP>
Columns, Delimiter, File, Method, Name, Password, Path, Port, ProxyPort, ProxyServer, Redirect, ResolveURL, TextQualifier, ThrowOnError, Timeout, URL, UserAgent, Username
<CFHTTPPARAM>
File, Name, Type, Value
<CFLOCATION>
AddToken, Url
<CFLOCK>
Name, Scope, ThrowOnTimeout, Timeout, Type
URLEncodedFormat
(String)

String Handling

Asc
(String)
CFusion_GetODBCDSN
Chr
(Number)
CJustify
(String, Length)
Compare
(String1, String2)
CompareNoCase
(String1, String2)
DayOfWeekAsString
(DayOfWeek)
Find
(Substring, String [, Start])
FindNoCase
(Substring, String [, Start])
FindOneOf
(Set, String [, Start])
GetToken
(String, Index [, Delimiters])
Insert
(Substring, String, Position)
LCase
(String)
Left
(String, Count)
Len
(String or BinaryObject)
LJustify
(String, Length)
LSParseCurrency
(String)
LSParseDateTime
(String)
LSParseEuroCurrency
(CurrencyString)
LSParseNumber
(String)
LTrim
(String)
Mid
(String, Start, Count)
MonthAsString
(MonthNumber)
ParseDateTime
(DateTimeString [, PopConversion])
REFind
(RegExpression, String [, Start, ReturnSubExpressions])
REFindNoCase
(RegExpression, String [, Start, ReturnSubExpressions])
RemoveChars
(String, Start, Count)
RepeatString
(String, Count)
Replace
(String, SubString1, SubString2 [, Scope])
ReplaceList
(String, List1, List2)
ReplaceNoCase
(String, SubString1, SubString2 [, Scope])
REReplace
(String, RegExpression [, Scope])
REReplaceNoCase
(String, RegExpression, Substring [, Scope])
Reverse
(String)
Right
(String, Count)
RJustify
(String, Length)
RTrim
(String)
SpanExcluding
(String, Set)
SpanIncluding
(String, Set)
StripCR
(String)
ToString
(AnyValue)
Trim
(String)
UCase
(String)
URLDecode
(UrlEncodedString)
Val
(String)
XMLFormat
(String)

Structures

IsStruct
(Variable)
StructClear
(Structure)
StructCopy
(Structure)
StructCount
(Structure)
StructDelete
(Structure, Key [, IndicateNotExisting])
StructFind
(Structure, Key)
StructInsert
(Structure, Key, Value [, AllowOverwrite])
StructIsEmpty
(Structure)
StructKeyArray
(Structure)
StructKeyExists
(StructureKey)
StructKeyList
(Structure [, Delimiters])
StructNew
StructUpdate
(StructureKeyValue)

System

<CFAUTHENTICATE>
Password, SecurityContext, SetCookie, ThrowOnFailure, Username
<CFCOLLECTION>
Action, Collection, Language, Path
<CFIMPERSONATE>
Password, SecurityContext, Type, Username
<CFINTERNALDEBUG>
<CFNEWINTERNALADMINSECURITY>
<CFNEWINTERNALREGISTRY>
<CFOBJECT>
Action, Class, Context, Locale, Name, Server, Type
<CFREGISTRY>
Action, Branch, Entry, Name, Sort, Type, Value, Variable
<CFREPORT>
Formula, OrderBy, Password, Report, Username
<CFSECURITYADMIN>
AuthenticatedContext
AuthenticatedUser
CF_GetDataSourceUsername
CF_IsColdFusionDataSource
CF_SetDataSourcePassword
CF_SetDataSourceUsername
CFusion_Decrypt
CFusion_Disable_DBConnections
CFusion_Encrypt
CFusion_GetODBCINI
CFusion_SetODBCINI
CFusion_Settings_Refresh
CFusion_VerifyMail
CreateUUID
GetFunctionList
GetMetricData
(MonitorName)
IsAuthenticated
(SecurityContextName)

Variable Handling

<CFASSOCIATE>
BaseTag, DataCollection
<CFCOOKIE>
Domain, Expires, Name, Path, Secure, Value
<CFPARAM>
Default, Name, Type
<CFSET>
VariableName
DecrementValue
(Number)
DeleteClientVariable
("Name")
GetClientVariablesList
IncrementValue
(Number)
IsDefined
("VariableName")
ParameterExists
(Parameter)
SetVariable
(Name, Value)

Verity

<CFINDEX>
Action, Body, Collection, Custom1, Custom2, Extensions, External, Key, Language, Query, Recurse, Title, Type, URLPath
<CFSEARCH>
Collection, Criteria, External, Language,

<HTML>

Document Structure

<HTML> </HTML>	Begins and ends HTML document
<HEAD> </HEAD>	Encloses document heading
<TITLE> </TITLE>	Document name
<STYLE> </STYLE>	Describes style elements
<BODY> </BODY>	Contains content of the document

Formatting

<P> </P>	Paragraph tag
 	Soft line break
<I> </I>	Italics
<B> </B>	Bold
<U> </U>	Underline
<PRE> </PRE>	Preformatted
<EM> </EM>	Emphasis (usually italic)
<STRONG> </STRONG>	Strong (usually bold)
<CODE> </CODE>	Code
<DFN> </DFN>	Term definition
<KBD> </KBD>	Typed text
<BLOCKQUOTE> </BLOCKQUOTE>	Quote or bibliography
<ADDRESS> </ADDRESS>	Address information

Fonts

<FONT> </FONT>	Assigns type attributes
SIZE = "..."	Assigns type size, 1-7
COLOR = "..."	Assigns type color
FACE = "..."	Assigns type face (font)
<BASEFONT>	Assigns document default font

Headings

<H1> </H1>	Heading tags
…	
<H6> </H6>	

Lists

<UL> </UL>	Unordered, bulleted list
<OL> </OL>	Ordered, numbered list
<MENU> </MENU>	Menu list
<DIR> </DIR>	Directory list
<LI>	List item
<DL> </DL>	Definition list
<DT>	Definition term
<DD>	Definition of the term

Tables

<TABLE> </TABLE>	Defines a table
BORDER = "..."	Sets table boarder size
CELLSPACING = "..."	Sets spacing between cells
CELLPADDING = "..."	Sets spacing within cells
WIDTH = "..."	Assigns table width
<TR> </TR>	Table row
<TD> </TD>	Table data
<TH> </TH>	Table head
ALIGN = "..."	Sets horizontal location of table data
VALIGN = "..."	Sets vertical location of table data
ROWSPAN = "..."	Allows a single cell to span multiple rows
COLSPAN = "..."	Allows a single cell to span multiple columns
NOWRAP = "..."	Prevents contents of cell from wrapping

Images

<IMG>	Places an image into a document
SRC = "..."	Location or URL of the image
ALT = "..."	Text to be displayed if the image is not
LOSRC = "..."	Location of low-bandwidth image
VSPACE = "..."	Vertical Padding for the image
HSPACE = "..."	Horizontal Padding for the image
ALIGN = "..."	Aligns image with text or other content
HEIGHT = "..."	Indicates suggested height of the image
WIDTH = "..."	Indicates suggested width of the image
ISMAP	Server side image map
USEMAP	Client side image map
<HR>	Horizontal line rule

Links

<A> </A>	Anchor tag.
HREF = "..."	URL of referenced document
NAME = "..."	Name of the anchor
TARGET = "..."	Location to open the link

CFUN - 2k

http://www.cfconf.org/

fusebox

http://www.fusebox.org/

FuseBox is a set of ColdFusion programming methods and practices that help programmers work together, improves documentation and reduces bugs.

FUSION AUTHORITY

http://www.fusionauthority.com/

FusionAuthority is a weekly online magazine that brings you CF news, tips and articles first.

ColdCuts

Satisfy your programming appetite with TeraTech's free ColdFusion code snippets at ColdCuts.

http://www.teratech.com/coldcuts/

www.cfadvisor.com

CF Advisor™

THE NUMBER ONE SOURCE FOR COLDFUSION INFORMATION AND JOBS!

<allaire> ColdFusion User Group

TeraTech sponsors the Maryland ColdFusion User Group, because we believe in "users helping users." Check them out at **http://www.cfug-md.org/,** or find your local group at **http://www.allaire.com/developer/UG.cfm**

Gecko World Graphics specializes in web design and internet marketing. For superior, original artwork and HTML come visit the Gecko.

http://www.geckoworld.com/

© Copyright TeraTech, Inc 2000. All rights reserved. Names are trademarks of their respective holders.
Thank you for your support of the Tag Poster and CFUN-2k!